



## Premium 2Way Accessory Catalog



[jmonfort@knology.net](mailto:jmonfort@knology.net)  
JIMMY MONFORT  
RADIO WHOLESale  
800-53-RADIO (537-2346)

# Table of Contents

Page 3 .....	Naming Convention
Page 4 & 5 .....	<b>BRAIDED FIBER CLOTH</b> Earpieces
Page 6 & 9 .....	<b><i>SnapLock System</i></b> Earpieces
Page 10 .....	Acoustic Tube Earpieces
Page 11 .....	Ear Hook Earpieces
Page 12 .....	C & D Rings and Ear Bud Earpieces
Page 13 .....	Swivel Earpieces
Page 14 & 15 .....	<b>eco Priced</b> Earpieces
Page 16 & 17 .....	<b>Wrap-Tight</b> Earpieces
Page 18 & 19 .....	Retail Swivel Earpieces
Page 20 & 21 .....	Knowles Hi-Def Earpieces
Page 22 & 27 .....	<b>N<sup>ear</sup></b> Earpieces
Page 27 & 28 .....	<b>Sonim</b>
Page 30 & 37 .....	Speaker Microphones
Page 38 & 39 .....	<b>CHOICE</b> & Touch-Free PTT
Page 40 & 41 .....	Receive Only Earpieces
Page 42 .....	Noise Cancelling Knowles Hi-Def Headsets
Page 43 .....	Light Weight Headsets
Page 44 - 47 .....	Heavy Duty Headsets
Page 48 .....	Adaptors
Page 49 .....	Hirose™ Adaptors and Accessories
Page 50 .....	Acoustic Tube Ear Tips & Parts
Page 51 .....	Earpiece & Headset Parts
Page 52 .....	Radio & HIROSE Adaptors
Page 53 .....	Speaker Mic & Battery Parts
Page 54-61 .....	Connector Charts

### Earpieces

<b>AT</b>	Acoustic Tube
<b>ATS</b>	Acoustic Tube Straight
<b>SWVL</b>	Swivel
<b>EH</b>	Ear Hook
<b>EHLG</b>	Ear Hook Large
<b>DR</b>	D-Ring
<b>DRA</b>	D-Ring Adjustable
<b>EB</b>	Ear Bud
<b>SL</b>	SnapLock

### Examples

AT1W = Acoustic Tube 1 Wire

AT1W-M = Acoustic Tube 1 Wire with  
Motorola M Connector

### Receive Only Earpieces

<b>ROC</b>	Receive Only Coiled Wire
<b>ROS</b>	Receive Only Straight Wire

ATROC15 = Acoustic Tube Coil 15mm

ATROC15-3.5 = Receive Only Acoustic  
Tube Coiled Wire with 3.5 Connector

### Earpiece Type

<b>+</b>	Braided Fiber
<b>1W</b>	1 Wire In-Line PTT
<b>1WB</b>	1 Wire Lines Out Bottom Of PTT
<b>2W</b>	2 Wire
<b>3W</b>	3 Wire

AT+2W = Acoustic Tube Braided 2 Wire

AT+2W-M12 = Acoustic Tube Braided  
Fiber 2 Wire with Motorola M12 Connector

### Speaker Mics

<b>SM</b>	Speaker Mic
<b>W</b>	Water Proof
<b>NC</b>	Noise Cancelling

SM6W = Speaker Mic 6 Water Proof

SM6W-K = Speaker Mic 6 Water Proof  
with K Connector

### Headsets

<b>HS</b>	Headset
<b>HSS</b>	Headset Single Ear
<b>HSD</b>	Headset Double Ear
<b>HSB</b>	Headset Behind Head
<b>HSBHD</b>	Headset Behind Head Heavy Duty
<b>HSIE</b>	Headset In Ear

HSS = Headset Single Ear

HSS-Y3 = Headset Single Ear with  
Vertex Y3 Connector

### Parts

<b>AD</b>	Adaptor
<b>ETIP</b>	Ear Tip
<b>BC</b>	Belt Clip

AD-M12-M = Adaptor for Motorola M12  
(Multi-Pin) to M (Single Pin)

HOME OF THE ORIGINAL

**BRAIDED  
FIBER  
CLOTH®**

**EARPIECES**

**3X STRONGER**

**90 Pound Pull-Strength**

**Premium 2Way Accessories**





**Acoustic Tube**



**Swivel**

**Ear Hook**

**Adj. D Ring**

**C Ring**



**Available In**

**1 Wire Kit**

**2 Wire Kit**

**(2 Wire Is Noise Cancelling)**

**&**

***SNAPLOCK***  
***EARPIECE***  
***SYSTEM*** ®

## BRAIDED FIBER CLOTH

### SnapLock

#### 1 Wire

#### SL+1W



- Improved strength and durability
- Tangle-free
- A straight through in-line PTT / microphone with added shielding
- With male **SnapLock** connector

## BRAIDED FIBER CLOTH

### SnapLock

#### 2 Wire

#### SL+2W



- Improved strength and durability
- Tangle-free
- Noise cancelling premium microphone with clip-on PTT
- With male **SnapLock** connector



High-quality  
**SnapLock**  
metal-to-metal  
connector



### SnapLock

#### 1 Wire

#### SL1W

- A straight through in-line PTT with microphone
- With male **SnapLock** connector



### SnapLock

#### 2 Wire

#### SL2W

- Clip-on PTT with microphone
- With male **SnapLock** connector

### SnapLock

#### 3 Wire

#### SL3W

- Palm PTT
- Discreet pin on lapel microphone
- With male **SnapLock** connector



## Features

- Industry-leading 90lb pull strength
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

## KEVLAR

Cords on All Earpieces

HOME OF THE ORIGINAL

**SNAPLOCK**®

**EARPIECE SYSTEM**

**1 Wire**

**2 Wire**

**OR**

**3 Wire**

Available In

**BRAIDED FIBER CLOTH**®

Or Standard Resin Line

HOME OF THE ORIGINAL

***SNAPLOCK***®  
EARPIECE SYSTEM

**INDUSTRY'S  
LARGEST  
SELECTION**

Available In  
**BRAIDED FIBER CLOTH**®  
Or Standard Resin Line

Premium 2Way Accessories



## SnapLock Covert Ear Tips

**SL-ET+2-W** - White

**SL-ET+2-B** - Black



**NEW**

## SnapLock In-Ear Hi-Def

**SL-HD+IEG** - Gel Tip

**SL-HDIEF** - Foam Tip



**NEW**

## SnapLock Swivel

**SL-SWVL**



## SnapLock Ear Hook

**SL-EH** - Standard

**SL-EHLG** - Large speaker



## Indestructible Connector



## SnapLock Bone Conduction

**SL-BC** - Hearing Aid



**NEW**

## SnapLock D&C-Ring

**SL-DRA** - Adjustable

**SL-DR** - Standard

**SL-CR** - C-Ring



**NEW**

## SnapLock High-Def Acoustic Tube

**SL-ATHD+** - Knowles Speaker



**NEW**

## SnapLock 3.5 Connector

**SL-F3.5** - Female

**SL-3.5** - Male



**NEW**

## SnapLock Near

**SL-360 Silver** - Critical Comm.



**NEW**

## SnapLock Acoustic Tube

**SL-AT** - Premium Acoustic Tube

**SL-ATR** - Economically Priced for retail and hospitality





## BRAIDED FIBER CLOTH Acoustic Tube 1 Wire

### AT+1W



- Improved strength and durability
- Tangle-free
- Surgical tubing with UV protection
- A straight through in-line PTT / microphone with added shielding

## BRAIDED FIBER CLOTH Acoustic Tube 2 Wire

### AT+2W



- Improved strength and durability
- Tangle-free
- Surgical tubing with UV protection
- Noise cancelling premium microphone

## Acoustic Tube 1 Wire

### AT1W

- A straight through in-line PTT with microphone
- Surgical tubing with UV protection



## Acoustic Tube 2 Wire

### AT2W

- Clip-on PTT with microphone
- Surgical tubing with UV protection



## Acoustic Tube 3 Wire

### AT3W

- Surgical tubing with UV protection
- Palm PTT
- Discreet clip-on microphone



[See Replacement Parts on Acoustic Parts Page](#)

## Features

- Industry leading 30lb pull-strength
- Quick disconnect clip – secures the earpiece and provides additional cable strain relief
- Twist off acoustic tubes – hygienic quick and easy swap between multiple users sharing equipment

## KEVLAR

[Cords on All Earpieces](#)

## BRAIDED FIBER CLOTH

### Ear Hook 1 Wire EH+1W

- Improved strength and durability
- Tangle-free
- Enhanced comfort
- A straight through in-line PTT/microphone with added shielding



### Ear Hook 1 Wire EH1W

- A straight through in-line PTT with microphone



### Ear Hook 2 Wire EH2W

- Clip-on PTT with microphone

### Ear Hook with large speaker EHLG1W

- Oversized Ear Hook speaker
- A straight through in-line PTT with microphone



## Features

- Industry leading 30lb pull-strength
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

**KEVLAR**

Cords on All Earpieces



## D-Ring Adjustable 1 Wire **DR1W** **DRA1W**

- A straight through in-line PTT with microphone



## C-Ring 1 Wire **CR1W**

- A straight through in-line PTT with microphone



## Ear Bud 1 Wire **EB1W**

- A straight through in-line PTT with microphone



## Features

- Industry leading 30lb pull strength at both ends of the PTT
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

**KEVLAR**

Cords on All Earpieces

## BRAIDED FIBER CLOTH Swivel 1 Wire SWVL+1W

- Improved strength and durability
- Tangle-free
- A straight through in-line PTT with RF-shielded microphone
- Enhanced comfort
- Worn outside ear - increased hygiene for multi-users



## Swivel 1 Wire SWVL1W

- A straight through in-line PTT with RF-shielded microphone
- Enhanced comfort
- Worn outside ear - increased hygiene for multi-users

## Swivel 2 Wire SWVL2W

- Clip-on PTT with microphone
- Enhanced comfort
- Worn outside ear - increased hygiene for multi-users



## Features

- Industry leading 30lb pull strength at both ends of the PTT
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

**KEVLAR**

Cords on All Earpieces

# **eco price**

**Standard Earpiece Offering  
Economically (eco) Priced Below Our  
Premium N2W Accessories**

**25% to 35% Lower Pricing**

**1 Year Warranty**

**Premium 2Way Accessories**

**eco  
price**

**NEW**

### Ear Hook 1 Wire

**EH1WB(eco)**

- Lines out Bottom  
PTT with Microphone



**eco  
price**

**NEW**

### Swivel 1 Wire

**SWVL1WB(eco)**

- Lines out Bottom  
PTT with Microphone



**eco  
price**

**NEW**

### D-Ring 1 Wire

**DR1WB(eco)**

- Lines out Bottom  
PTT with Microphone



**eco  
price**

**NEW**

### Acoustic Tube 1 Wire

**AT1WB(eco)**

- Lines out Bottom  
PTT with Microphone



### Acoustic Tube 2 Wire

**AT2W(eco)**

- Lines out Bottom  
PTT with Microphone

**eco  
price**

**NEW**



- **25% - 35% Lower Pricing**
- **Quality Microphone**
- **Loud Speaker**
- **Strong 360 Degree Rotating Clip**
- **Replaceable Parts**
- **1 Year Warranty**

# ADJUSTABLE **CORD LENGTH** For Different Size People windable cord



## **Swivel Wrap-Tight**

### **SWVLWT1W**

- A straight through in-line PTT with microphone





## NEW WRAP-TIGHT

NEW



### Ear Hook Wrap-Tight

**EHWT1W**

- A straight through in-line PTT with microphone

- Make it long or make it short
- Wrap up the extra line for a perfect fit
- Premium in-line microphone
- Strong rotating clothing clip

### KEVLAR

Cords on All Earpieces

### Features

- Industry leading 30lb pull strength at both ends of the PTT
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector



**NEW**

# NEW RETAIL SWIVEL

Available For:

**Motorola 2 Pin (MA), Kenwood 2 Pin (K), Kenwood PKT-23 1 Pin (K2)**




## RETAIL CONNECTORS

**Motorola 2 Pin (MA), Kenwood 2 Pin (K), Kenwood PKT-23 1 Pin (K2)**







WORN BY RETAILERS NATIONWIDE

# NEW “HIGH-DEF” SPEAKER EAR PIECES

NEW

**knowles**  
Premium Speakers

Speaker Size On A Dime



## **SnapLock** Hi-Def Knowles In-Ear **SL-HD+IEG**

- Gel Ear Tip
- Braided Fiber Line
- Knowles Speaker
- Engineered for premium voice quality



NEW

## **SnapLock** Hi-Def Knowles In-Ear **SL-HDIEF**

- Foam Ear Tip
- Mechanical On/Off Ambient Noise Control
- Knowles Speaker
- Engineered for premium voice quality



NEW

## **SnapLock** Hi-Def Acoustic Tube Knowles Speaker **SL-ATHD+**

- Braided Fiber Line
- Knowles Speaker
- Engineered for premium voice quality



NEW

**knowles**  
Premium Speakers  
Engineered specifically  
for Voice Quality



# NEW “HI-DEF” RECEIVE ONLY ACOUSTIC TUBE



Available Now!



Speaker Size On A Dime



Item: ATHDROC30-3.5

- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removable Clip
- Replaceable Acoustic Tube - Screw In
- Comes with Three Ear Tips

# NEW “HI-DEF” SNAPLOCK ACOUSTIC TUBE

Available Now!



Item: SL-ATHD+



Speaker Size On A Dime



- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removable Clip
- Works with all **SnapLock** Base PTT Systems
- Replaceable Acoustic Tube - Screw In
- Comes with Three Ear Tips

# Near

**CRITICAL COMMUNICATIONS CERTIFIED**



**0% Ear Fatigue**

**5 Patents**

**In-Ear Technology**

**100% Situational Awareness**

**3-Year Warranty**

**Available In:**

***SnapLock Earpiece System***

**& Receive Only**

N-ear  
**360** Single  
3.5mm



N-ear  
**360** Dual Ear  
3.5mm



N-ear  
**360** Single  
SnapLock



N-ear  
**360** Dual Ear  
SnapLock





# Near 360



**0% Ear Fatigue**  
**100% Situational Awareness**  
**Elite Audio Micro Technology**  
**Secure Fit and Hold**  
**Available in Single or Dual-Ear**



**3-Year Warranty**  
**120-Day 100% Refundable**  
**Patented Technology**





# CHOICE/PTTmic


+ Bluetooth LE 4.0

## Connect N-ear to Any Radio

- Premium Microphone
- Side PTT & Wireless PTT Replaceable Coin Battery (CR 2032)
- Finger or Handlebar Wireless PTT 2.4 GHz BLE 4.0
- **BRAIDED FIBER CLOTH** Line 90lb Pull-Strength
- Connectors for All Radios



Wireless PTT



Choice PTT/mic

Any 3.5 Receive Only Earpiece





# N-ear 360

## WHAT COMES WITH THE N-EAR 360

- 1 N-ear Dual 360 Earpiece
- 2 Open Ear Tip  
Placed on Earpiece  
Size Small (fits 85% of ears)
- 1 Double Flange Ear Tip
- 2 Wax Filters and Removers
- 1 User Guide
- 1 Zipper Case

N-ear 360 Dual - SnapLock



# **SnapLock**

## **Earpiece System**

---

N<sup>o</sup> ear  
**360**



**SnapLock 360 Dual-Ear**  
(Item: RO-360-22-3.5SD)



**SnapLock 360 Single**  
(Item: RO-360-22-3.5S)



**SnapLock PTT/mic Base**  
2 Wire Noise-Cancelling  
Braided Fiber Cloth  
(Item: SL+2W)

1 or 2 Wire Kits





# sonim

- Speaker Mic 6
- Speaker Mic 6 Long Cord & Waterproof

NEW

WORKS WITH XP8

SM6-SN Best Selling Speaker Mic. 6

SM6WL-SN Extra Long Cord & Waterproof IP67



# sonim

## 1 & 2 Wire Resin

## 1 & 2 Wire **BRAIDED FIBER**

## 1 & 2 Wire **SnapLock**



Ear Hook



Ear Hook Large



Acoustic Tube



Covert Ear Tips White



Covert Ear Tips Black



D-Ring Adjustable



D-Ring



Acoustic Tube Retail



Hi-Def Knowles - Foam Tip



N-ear 360 Single Ear



Swivel



Ear Bud



Hi-Def Knowles Acoustic Tube



Hi-Def Knowles- Gel Tip



N-ear 360 Dual Ear



1 Wire PTT Base In-Line



1 Wire PTT Base



2 Wire PTT Base



AVAILABLE IN STANDARD RESIN OR NEW  
**BRAIDED FIBER CLOTH.**  
SO COMFORTABLE YOU'LL NEVER LOOK AT  
TWO-WAY RADIO ACCESSORIES THE SAME AGAIN.





## Best Selling Speaker Microphone 6 Series

### SM6

- Compact, heavy-duty design
- IP55 rated water and dust resistant
- Dimensions: 2.25" x .8" x 2"
- Extra-Long, heavy-duty cord



3.5mm accessory  
port on the side

360 degree rotating  
clothing clip



### SM6W

- Compact, heavy-duty design
- Heavy-duty, fire retardant cable
- IP67 rated/ water and dust proof
- Dimensions: 2.25" x .8" x 2"



### SM6WE

- Compact, heavy-duty design
- Heavy-duty, fire retardant cable
- IP67 rated/ water and dust proof
- Dimensions: 2.25" x .8" x 2"
- Emergency Button



### SM6WL

- Same features as above SM6W
- Extra-Long heavy-duty cord

## Battery Powered Speaker Mic

### SM17

- Great high and low volume
- Compact, heavy-duty design
- IP55 water & dust resistant
- Led Indicator - Charging
- Volume control
- LED Front light
- Replaceable lithium 1500mAH battery
- Dimensions: 2.3" x 1.1 x 3"



3.5mm accessory  
port on the side

Micro USB  
Charging Port



# KEVLAR

Cords on All Speaker Mics



# SPEAKER MIC

Multiple styles for each user

Compact, heavy-duty design  
4.9mm fire retardant cable  
3.5mm audio accessory port  
Heavy gauge coiled cord  
Dimensions: 2.25"x.8"x2"

# **SM6W**  
3.5 Audio  
Earpiece Port

Emergency Button Optional



**IP67**  
Speaker Mic Rating

**WATER AND DUST PROOF**



ENGINEERED FOR ENHANCED AUDIO  
PERFORMANCE AND DURABILITY  
**INDEPENDENT LAB TEST RATING IP67**  
4.9mm FIRE RETARDANT CABLE



## Compact Size

### SM1

- Dimensions: 2.1" x 1" x 2.7"



3.5mm accessory  
port on the side  
360 degree rotating  
clothing clip



## Standard Size

### SM2

- Dimensions: 2.3" x 1.1" x 3"



3.5mm accessory  
port on the side  
360 degree rotating  
clothing clip



## Compact Size

### SM3

- Dimensions: 2" x 1" x 2.8"
- Most economical
- Newly designed lightweight



3.5mm accessory  
port on the bottom  
360 degree rotating  
clothing clip



## Heavy Duty

### SM4

- Dimensions: 2.4" x 1.2" x 3"
- IP55 rated/ water and dust resistant

### SM4W

- Available in waterproof with an IP67 rating/ water and dust proof
- No accessory jack



3.5mm accessory  
port on the bottom  
- SM4 model only  
360 degree rotating  
clothing clip



## Mobile Palm Mic

### PM2

- Dimensions: 2.25" x .8" x 2"
- Includes mobile hang-up clip
- RJ45 connector
- IP57 rated/ water and dust resistant



**KEVLAR**

Cords on All Speaker Mics








## ACTIVE NOISE CANCELLING Speaker Mic.

NEW

Background Noise & Voice Go Into Radio

Mic. Reduces Background Noise for Clear Voice



SM6WLNC



Dual Mic. Technology

1st Mic Captures Voice

2nd Mic Captures & Removes Background Noise

Item # SM6WLNC





Passive Noise Cancelling  
SM2NC

- IP54 Dust & water resistant
- Heavy gauge 4.2mm cable
- Strong 360-degree rotating clip

NEW

# NOISE CANCELLING

Premium Accessories



# MIL SPEC SPEAKER MIC 8W

## Active Noise Cancelling

NEW



### TRI MIC TECHNOLOGY

Performance speaker with integrated DSP hard/software for active noise cancellation via multiple microphones.



### Features

- MIL-STD810G Tested
- IP67 water protection
- Active noise cancellation
- Triple microphone
- Flame retardant
- Large swivel belt clip w/ring
- Nexus 5 pole jack for headset
- Audio jack for earphone 3.5mm
- Large front PTT
- Side PTT
- Volume (top) toggle switch
- Green or grey front PTT
- Red Transmit LED
- Optional emergency button
- Optional function button





# SMOOTH TOUCH SM9

## Active Noise Cancelling



### PUBLIC SAFETY READY

The New Speaker Mic. 9 is a powerhouse. Featuring 2 active MEMS microphones producing superior sound. The smooth front speaker grill is comfortable to the hand. This is our only speaker mic. with a 3.5 audio port that can be open or closed and still provide waterproof IP67 protection.



### Features

- IP67 water protection
- Active noise cancellation
- 2 MEMS premium mics
- Triple microphone
- Heavy duty construction
- Fire retardant cable
- Large swivel belt clip w/ ring
- Audio jack for earphone 3.5mm
- Optional emergency button
- Optional function button

### MEMS Microphone

The latest in microphone technology. Less electrical interference, less sensitivity to temperature change, higher precision sound, better protection from impact or shock damage.



## FREE ON-SITE LASER ENGRAVING



**IMMEDIATE DELIVERY**



### STICKER OPTIONS AVAILABLE



# CHOICE Wireless PTT

## + Bluetooth LE

**CHOOSE** Any Radio or Any 3.5 Receive Only Earpiece

- Premium Microphone
- Side PTT & Wireless PTT
- Replaceable Coin Battery (CR 2032)
- Wireless PTT BLE
- Braided Fiber Cloth Line 90lb Pull-Strength
- Connectors for All Radios

**CHOOSE** Where you want to place your second/wireless PTT (vest, handlebars, steering wheel, belt, rifle)

Item C+WPTT



Item WPTT



Unscrew and replace battery (Coin Cell CR2032)



# TOUCH-FREE PTT



## Wristband Easily Snaps On

The silicone material allows for a fast snap onto your rest easily for a clean comfortable fit.



Available in **SnapLock** Touch-Free 1 Wire Kits

## Medical work fields

Medical teams that require sanitation at all times can wear the wrist sensor PTT to speak without touching the earpiece PTT.



## Construction / Mechanics

Workers with thick gloves or greasy hands can wear the wrist sensor PTT to activate without touching the earpiece PTT.



## RECEIVE ONLY - LENGTH OPTIONS



**YOUR CHOICE OF COMFORTABLE AND RELIABLE EARPIECES**

Full View

**Ear Tip Optional Parts**



ATROC10	ATROC15	ATROC30	ATROS120
			
4 Inch Length	6 Inch Length	12 Inch Length	48 Inch Length

Available in 2.5mm or 3.5mm audio pin

**RO**  
Receive Only

**2.5 or 3.5**  
millimeter  
connectors

LENGTH OPTIONS		
Shoulder Mics	4 inch	10 cm
Shoulder Mics	6 inch	15 cm
Chest Mics	12 inch	30 cm
Hip Mics	48 inch	120 cm

## NEW "HI-DEF" RECEIVE ONLY ACOUSTIC TUBE

**NEW**



**Available Now!**

Item: ATHDROC30-3.5



Speaker Size On A Dime

**knowles**  
Life above the noise

- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removable Clip
- Replaceable Acoustic Tube - Screw In
- Comes with Three Ear Tips





## Hi-Def Premium Voice Receive Only

ATHDROC30-2.5 12 in long w/ 2.5mm  
ATHDROC30-3.5 12 in long w/ 3.5mm



NEW



## Hi-Def Premium Voice Receive Only

HDIEG+ROS30-2.5 9.5in long w/ 2.5mm  
HDIEG+ROS30-3.5 9.5in long w/ 3.5mm



NEW

## Acoustic Tube Receive Only

ATROC10-2.5 4in long w/ 2.5mm  
ATROC15-2.5 6in long w/ 2.5mm  
ATROC10-3.5 4in long w/ 3.5mm  
ATROC15-3.5 6in long w/ 3.5mm  
ATROC30-2.5 12in long w/ 2.5mm  
ATROC30-3.5 12in long w/ 3.5mm  
ATROC120 48in long w/ 3.5mm



## Near 360

Single or Dual Ear

RO-360-22-2.5S 22in long w/ 2.5mm  
RO-360-22-3.5S 22in long w/ 3.5mm  
RO-360-22-2.5SD 22in long w/ 2.5mm  
RO-360-22-3.5SD 22in long w/ 3.5mm



## D-Ring Receive Only

DRROC15-2.5 6in long w/ 2.5mm  
DRROC15-3.5 6in long w/ 3.5mm



## D-Ring Adjustable Receive Only

DRAROC15-2.5 6in long w/ 2.5mm  
DRAROC15-3.5 6in long w/ 3.5mm



## Ear Hook Receive Only

EHROC15-2.5 6in long w/ 2.5mm  
EHROC15-3.5 6in long w/ 3.5mm



## Swivel Receive Only

SWVLROC15-2.5 6in long w/ 2.5mm  
SWVLROC15-3.5 6in long w/ 3.5mm



## BRAIDED FIBER CLOTH Receive Only SnapLock

SL+ROS120-2.5 48in long w/ 2.5mm  
SL+ROS120-3.5 48in long w/ 3.5mm

See **SnapLock** System page



## Ear Bud Receive Only

EBROC15-2.5 6in long w/ 2.5mm  
EBROC15-3.5 6in long w/ 3.5mm




NEW

# NEW HI-DEF, NOISE CANCELLING IN-EAR HEADSET

## HSHD+IEF

- Hi-Def premium sound
- Noise Cancelling Mic
- Lightweight and comfortable
- Adjustable behind the head band
- Metal Headband
- Braided Fiber Cloth cords

 **knowles**  
Premium Speakers  
Engineered specifically  
for Voice Quality



### Mechanical On-Off to Ambient Noise



### Premium Noise Reduction Foam Tips

24.9 ~ 48.4 dB Reduction



### Noise Cancelling Boom Mic





# OVER & BEHIND HEAD LIGHTWEIGHT HEADSETS

## Single Side Lightweight Over the Head Headset

### HSS

- In-line PTT
- Adjustable over the head band
- Metal Headband



## Double Side Lightweight Over the Head Headset

### HSD

- In-line PTT with microphone
- Adjustable over the head band
- Metal Headband



## Lightweight Behind the Head Headset

### HSB

- In-line PTT
- Lightweight wire frame



## Lightweight H/D Behind the Head Headset

### HSBHD

- In-line round mushroom PTT with coil cable
- Adjustable headstrap
- Heavy duty wire frame



## NEW HARD HAT Headset

- Lightweight heavy duty hard hat headset
- High quality noise cancelling microphone
- Super comfortable with foam earpads
- Clips right into hard hat
- PTT on earmuff
- Detachable PTT Cable
- Cable sold separately HS4-CAB
- Works with all radio models

Available Now!



Noise Cancelling Boom Mics

Premium Molded Foam Ear Pads

SNR Rating 24dB ~ 33dB

## NEW LIGHTWEIGHT PADDED Headset

- Adjustable over head dual ear muffs
- High quality noise cancelling microphone
- Quality foam ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS-PTTCAB
- Works with all radio models

Available Now!



Item # HS-PTTCAB



Noise Cancelling Boom Mics

Premium Molded Gel Ear Pads

SNR Rating 24dB ~ 33dB



# NEW LIGHTWEIGHT FLEX Headset

NEW

Item # HS3

- Lightweight and tight Collapsible frame
- Adjustable, flexible, and very comfortable firm fit
- Strong flexible noise cancelling dual diaphragm microphone
- Foam replaceable earmuff pads
- Detachable coil cable (left earmuff)
- Cable sold separately HS5-CAB
- Works with all radio models

Available Now!



Noise Cancelling Boom Mics

Premium Molded Foam Ear Pads

SNR Rating 24dB ~ 33dB

# NEW LIGHTWEIGHT FLEX Headset

NEW

Item # HS3G

- Lightweight and tight collapsible frame
- Adjustable, flexible, and very comfortable firm fit
- Strong flexible noise cancelling dual diaphragm microphone
- Foam replaceable earmuff pads
- Detachable coil cable (left earmuff)
- Cable sold separately HS5-CAB
- Works with all radio models

Available Now!



Noise Cancelling Boom Mics

Premium Molded Foam Ear Pads

SNR Rating 24dB ~ 33dB

## NEW SINGLE MUFF Headset

- Adjustable over head single ear muff
- High quality noise cancelling microphone
- Molded gel ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS-PTTCAB
- Works with all radio models

Available Now!

Item # HS-PTTCAB



Item # HS1

Noise Cancelling Boom Mics

Premium Molded Gel Ear Pads

SNR Rating 24dB ~ 33dB

## NEW DOUBLE MUFF Headset

- Adjustable over head dual ear muff
- High quality noise cancelling microphone
- Molded gel ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS-PTTCAB
- Works with all radio models

Available Now!

Item # HS-PTTCAB



Item # HS7

Noise Cancelling Boom Mics

Premium Molded Gel Ear Pads




SNR Rating 24dB ~ 33dB



## BEHIND HEAD HEAVY DUTY HEADSETS




PTT in Cable  
Headset **HS5**



- Behind The Head Headset
  - Adjustable head band accommodates headgear
  - Coil Cable sold separately - HS5-CAB, NX-CAB
- Available Colors   

PTT on Ear Muff  
Headset **HS4**



- Behind The Head Headset
  - Adjustable head band accommodates headgear
  - Coil Cable sold separately - HS4-CAB, NX-CAB
- Available Colors   

## Features

- Premium molded gel ear pads
- Includes spare boom mic shield
- Flexible boom mic
- Microphones are noise cancelling/directional mic
- SNR rating 33db H=33db M=32db L=24dB

Volume and PTT  
on Headset **HS8**



- Behind The Head Headset
- Adjustable head band accommodates headgear
- Volume control on right ear cup
- Push-to-talk on left ear cup
- Cable connector on both ear cups
- Coil Cable sold separately - HS4-CAB

**KEVLAR**

Cords on Large Ear Muff

## Adaptor Options



ADC-Y3-FL3.5 adaptor  
dangle to 3.5mm custom  
accessories



AD-Y3-FL3.5 adaptor to 3.5mm  
custom accessories

Works with: VX260, VX231, VX300 Series, VX400 Series eVerge- eVX531, eVX534, eVX539

Perfect for multi shift users who are constantly plugging and unplugging earpieces, causing accessory port issues. This solution is reverse wired so the earpieces are plugged into the adaptor instead of directly into the radio, eliminating unwanted service problems for the dealer.

- Adaptor stays connected to the radio and accessories are connected and disconnected to the adaptor.
- Avoid costly repairs and radio down time associated with accessory port issues.



## Adaptor Earpiece Options

Additional Adaptors Available  
Inquire directly.

[See Adaptor Parts Page](#)



AD-K1-K  
Kenwood



AD-M15-M  
Motorola



AD-M12-M  
Motorola

Our Hirose™ quick disconnect adaptors allow users to quickly attach and detach accessories without having to use the connection to the radio.

A great option for users who want to disconnect the radio without removing their accessory, disconnect quickly for charging the radio or quickly change between radios.

## Adaptor Options



**AD-K1-Hirose** - works with Kenwood radios



**AD-M12-Hirose** - works with Motorola MOTOTRBO radios



**AD-M3-Hirose** includes PTT and 3.5mm accessory port

[See on Adaptor Page](#)



- Allows accessory to stay on person while changing or charging radios.
- Adaptor stays connected to the radio and accessories are quickly connected and disconnected to and from the adaptor
- Engineered and designed to ensure quality control

## Hirose™ Earpiece Options

Available in 1 or 2 Wire Acoustic Tube



**AT1W-Hirose** 1-wire acoustic tube earpiece with straight through in-line PTT/microphone

**AT2W-Hirose** 2-wire acoustic tube earpiece with clip-on PTT / microphone



**AT+1W-Hirose** 1-wire **BRAIDED FIBER CLOTH** acoustic tube earpiece with straight through in-line PTT / microphone with added shielding

**AT+2W-Hirose** 2-wire **BRAIDED FIBER CLOTH** acoustic tube earpiece with noise cancelling premium microphone and palm PTT

## SNAPLOCK SYSTEM



**SL+2W** - 2-wire **SnapLock BRAIDED FIBER CLOTH** with noise cancelling premium microphone and palm PTT Earpieces sold separately:

- SL-EB** - Ear Bud
- SL-EH** - Ear Hook
- SL-SWVL** - Swivel
- SL-DR** - D-Ring
- SL-DRA** - Adjustable D-Ring
- SL-AT** - Acoustic Tube
- SL-ATR** - Acoustic Tube Retail



## Acoustic Tube Ear Tips



ETIP Tan/Black  
Clear 1, 2, 3  
10 or 100 Pack



Molded Ear Tips  
Black/Clear/Pink  
S,M,L, Right/Left



EFIN Ear Fins Tips  
S,M,L, Right/Left



ETIP3-C - Clear  
10 or 100 Pack



ETIPHDG-MLMR  
Hi-Def ear tip



ETIP-FOAM Premium  
Noise Reduction ear tip  
24~48 dB  
1,10 or 100 pack



EAR TIP  
(ON EARPIECE)

EAR PLUG  
(NO HOLE)

ETIP-FOAM & Plug  
Premium Noise Reduction  
ear tips  
24~48 dB



YELLERS Noise  
Reduction ear tip  
1,10 or 100 pack

## Acoustic Tube Parts



ATCOMPSET - Clear



C4TUBESET with Clear  
Tips



B4TUBESET - Clear  
Tips Surgical Tubing



Acoustic Tube only  
Clear/Black



TUBESET with Clear  
Tips Surgical Tubing



B4JOINTB



LJOINT - Joint



B4SPKCLIP-B

## Headset Mic Foams and Ear Pads



ESSB-10 -Black - for  
Ear Hook - 10 pack



MICMB - mic sponge  
HSB, HSS, HSBHD &  
HSD - 1 pack/10 pack



MICLB - mic sponge  
HS4, HS5, HS7, HS8  
1 pack/10 pack



DRATIPB - adjustable  
D-Ring - 2 pack/10 pack



EMEGPAD - gel pad  
HS4, HS5, HS7, HS8



HSLWEP - earpad  
HSS & HSD



CLIP - fits 2.0mm &  
2.5mm cable



CLIPA - 2.0-3.8mm  
cable




ATHDCLIP



FPTT - Wired  
Finger PTT



USB-MICRO Cable



SM7BAT - Speaker Mic 7  
Replacement Battery

## Adaptors



AD-M12-M  
Motorola



AD-M15-M  
Motorola



AD-M4-M  
Motorola



AD-M5-3.5  
Motorola



AD-K1-K  
Kenwood



AD-Y3-FL3.5  
Vertex



AD-I-S2  
Icom



ADC-Y3-FL3.5  
Vertex

## HIROSE



AD-M3-HIROSE  
Motorola



AD-M15-HIROSE  
Motorola



AD-M12-HIROSE  
Motorola



AD-K1-HIROSE  
Kenwood

**Call for options  
on non-US-stocked  
adaptors**



## Battery Clips



BC1 - Clip for CP110  
and RDU2080



BC2 - Clip for CP200



BC3- Clip for HT750  
and HT1250



BC4 - Clip for Motorola  
XPR6550



BC5 - Clip for Motorola  
XPR3500 and XPR7550

**Call for options  
non-US-stocked  
clips**

## Speaker Mic Clips



SM2CLIP- replacement  
clip for SM2, SM4 & SM4W



SM3CLIP- replacement  
clip for SM1 & SM3



SM6CLIP- replacement  
clip for SM6



PMCLP - replacement clip  
for Palm Mics







Image	Part no.	Works With Radio Models:
	BK2	P150 KNG
	K	Relm RPU416, RPU416A, RPU499, RPU499A Plus, RPU4200, RPV516, RPV599X, RPV516A, RPV599A Plus
	M5	Relm RPV3000 / 3600 / RPU3000 / 3300C
	M	Relm RP6500






Image	Part no.	Works With Radio Models:
	HR2	P5300, P5350, P5370, P5400, P5450, P5470, P5500, P5550, P5570, P7300, P7370, P7350, XG-25, XG-75
	H6	HDP100, HDP150, HDP250 Momentum
	H7	HDP-250




















Image	Part no.	Works With Radio Models:
	H4	BD5 Series, PD4 Series, PD5 Series, TC-446S, TC-500, TC-508, TC-518, TC-580, TC-600, TC-610, TC618, TC620, TC626, TC-700, TC-700 Ex PLUS, POWER446
	H5	TC320 with locking screw
	H6	PD7 Series, PD98X
	H7	PD-6 Series, X1e, X1p
	H8	BD3 Series, PD3 Series
	M4	TC-980
	M5	TC-610P, TC700P, TC-780, TC-780P, TC-780M





Image	Part no.	Works With Radio Models:
	S2B	IP-100H, IP-501H - Waterproof
	S3	F1100D/F2100D, F3210D/F4210D, F11, F11S, F14, F14S, F21, F21S, F24, F24S, F33GS, F33GT, F43GS, F43GT, F43TR, F3003/F4003, F4026DR, F4029SDR, F43GS, F43GT, F43TR, F1000/F2000, F3003, F3021/F4021, F4029SDR, F3001/F4001, F3011/F4011, F3101/F4101, JC-V80/V80E,
	S3B	F1000/F2000D/T/S, F1100D/F2100D, F3031S/4031S, F3230/4230DT/DS, F31/41W, V88 - BC1000 Watreproof
	I2	F30G/ F30GT/ F30GS/ F31GS/ F31GT, F40G/ F40GS/ F40GT, F50/ F50V/ F51, F60/ F61/ F61V, F70, F80, M87 / 88, F3061 Series/ F4061 Series, IC-F3161 Series/ F4161 Series, F3062/F4162, F4029DRR
	I4	F3260/ F4230, F3261D/ F4261D, F3360D/ F4360D, PD52D, PD62D, F3400D/ F4400DT/DS/D, F5400/6400D/DS, F7010/F7020, F7210T/F/S, F9011/F9021,

## KENWOOD

Image	Part no.	Works With Radio Models:
	K	Free Talk XLS, NX240V/340U, Pro Talk XLS, TK208/308, TK2100/3100, 2160/3160/3101,TK2170/3170/3173,TK220/320, TK240/340, TK240D/340D, T248, TK250/350/353, TK348, TK248, TK430/431, TK2200/3200, TK2202/3202/TK3212, TK2130, TK2212, TK2300/TK2312 3101 Free Talk, TK2400, TK2302/3302, TK3312, TK259/359, TK272G/372G, TK3100, TK3130 (ProTalk XLS), TK3173, TK2360, ,TK3230,TK3360, TK3131, TK3201, TK3300, TK3350, TK260G/360G, TK270G/370G, TK373G, XL2102/3102 Pro Talk, TK2400VP/3400UP, TK2402V/3402U, TK260, TK360, TK370, TK373 TK2130 ProTalk XLS),TK3131 (FreeTalk XLS) NEXEDGE NX220, NX240 / 340, NX320, NX420
	K1	TK-190/290/390, TK-280/380/480, TK-385, TK-481, TK-2140/3140, TK-2180/3180/4180, TK-3148, TK-3212, TK-5210/5310, TK-5220/5320, TK-5410, TK-5320/5420, TK-5400, <u>NEXEDGE</u> NX200/300, NX210, NX410/411, NX-3200/3300, NX-5200, NX-5300, NX-5400
	K2	PKT23
	K5	NX-P500
	KM	Kenwood Mobil Palm Mic

## EFJohns


Image	Part no.	Works With Radio Models:
	M3	Viking VP600, VP900, Viking Fire, Viking CK8500 Series, Avenger 8100 Series, 51 Fire ES, 5100 ES Series, 51SL ES Series, 51LT ES, Multi-Net Ascend ES Series, AN/PRC 127EFJ










Image	Part no.	Works With Radio Models:
	M	BC10, BC90, BC120, BC130, BPR40, CLS1110, CLS1410, CP125, CP88, CP100, CP110, CP150, CP185, CP200, CP200D, CP200XLS, CP450, CT150, CT250, CT450, CT450LS, DTR Series, GP2000, GP300, GP308, GP68, GP88, GP2000, GTI, GTX, LTS2000, MAG ONE, PR400, P040, P080, P110, P1215, P1225LS, PRO3150, SP10, SP21, SP50, XTN446, XTN500, XTN600, XV1100, XV2100, XU1100, XU2100, XU2600, VL130, VL50, GP280, GP350 (requires Motorola adaptor HLN9482)
	M3	GP900, GP9000, HT1000, JT1000, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTX-LS, XTS2500, XTS3000Astro, XTS3500, XTS5000, XTS3000, PR1 500, XTS1500, MX838
	M4	GP1280, GP140, GP320, GP328, GP329, GP338, GP339, GP340, GP360, GP380, GP640, GP650, GP680, HT1250, HT1250LS, HT1550, HT1550XLS, HT750, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, MTX950, PR860, MTP700, PRO5150, PRO5350, PRO5450, PRO5550, PRO5750, PRO7150, PRO7350, PRO7450, PRO7550, PRO9150, PTX700, PTX760, PTX780, PRO7750, WARIS
	M5	EX500, EX560, EX560XLS, EX600, GL200, GL2000, GP328Plus, GP338Plus, GP344, GP388, Pro5150Elite, Pro7150, Pro9150, Elite7150, Elite9150
	M12	APX6000, APX7000, DP3400, DP3401, DP3600, DP3601, SRX2200, XPR6300, XPR6350, XPR6380, XPR6500, XPR6550, XPR6580, XPR7350e, XPR7380e, XPR7550e, XPR7580e,
	M14	SL300, SL3000e, SL3500e, SL500, SL7000, SL7500, SL7550e, SL7580e, SL7590e, SL4000, SL4010 - WAVE TLK100
	M15	APX3000/8000, DP2000, DP2400, DP2600, DP 3441MTP,3100/3150/3200/3250/3500/3550, DP2400, DP2600, DP3441, MOTOTRBO - XPR3300e, XPR3500e
	M17	CLP1010, CLP1040, CLP1060
	MM	XPR5000 Series Mobie Radio Pam Mic
	MM1	CM200d, CM300d, XPR 2500 Mobile Radio Palm Mic











Image	Part no.	Works With Radio Models:
	M	TJ-3100V, TJ-3400U, TJ-3400UM, TP-5116, TP-5416, TP-8102, TP-8402, TP-8000BT Series, TP-8000R Series, TS-2116, TS-2416, TS-3116, TS-3416
	M12	TPD-1116, TPD-1416, TPD-1124, TPD-1424
	M14	TPD-8124, TPD-8424
	K	TS-3416K

Image	Part no.	Works With Radio Models:
-------	----------	--------------------------

## NEXTEL

	KN	NEXTEL i300, i305, i405, i450, i475
---	----	-------------------------------------

## sepura

	SP2	SC230 Series, STP8000, STP9000, STP9100, STP9200
---	-----	--




## tait

	TA	TP8100 series, TP9400 series
--	----	------------------------------

## TEKK

	M Digital Ready	XU100, XV100, XU1000, XV1000
---	-----------------------	------------------------------

## Vertex Standard

Image	Part no.	Works With Radio Models:
	Y3	BC95, eVerge- eVX531, eVX534, eVX539, VX10, VX130, VX160, VX180, VX210, VX210A, VX230, VX300, VX231, VX350, VX351, VX354, VX400, VX410, VX420, VX451, VX454, VX459
	Y5	VX820, VX821, VX824, VX829, VX871, VX874, VX879, VX920, VX921, VX924, VX971, VX974, VX979
	Y6	eVX-S24